

**PERI-III Montencinar  
COMPARACIÓN MEDIDAS  
Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> )	DIFERENCIA (m <sup>2</sup> )
1267602VK1916N	3.792,00	3.769,55	-22,45
1267603VK1916N	2.010,11	2.026,97	16,86
1267604VK1916N	3.502,00	3.493,96	-8,04
1467401VK1916N	2.364,53	2.414,96	50,43
1467402VK1916N	4.247,82	4.265,14	17,32
1467403VK1916N	2.482,28	2.485,70	3,42
1467404VK1916N	2.513,68	2.604,14	90,46
1467405VK1916N	2.354,40	2.316,73	-37,67
1467406VK1916N	2.697,15	2.707,58	10,43
1570901VK1917S	1.580,57	1.532,12	-48,45
1570902VK1917S	3.593,88	3.553,05	-40,83
1570903VK1917S	1.446,24	1.432,09	-14,15
1570904VK1917S	1.781,03	1.733,50	-47,53
1570905VK1917S	6.767,15	6.740,63	-26,52
1570906VK1917S	5.036,96	5.106,99	70,03
1570907VK1917S	1.692,89	1.685,12	-7,77
1570908VK1917S	5.626,87	6.006,69	379,82
1570909VK1917S	1.135,76	1.474,62	338,86
1570910VK1917S	1.705,88	1.403,52	-302,36
1570911VK1917S	1.003,81	1.007,92	4,11
1570912VK1917S	1.089,31	1.047,69	-41,62
1570913VK1917S	1.035,37	1.072,92	37,55
1570914VK1917S	1.001,00	989,06	-11,94
1570915VK1917S	2.018,20	2.059,89	41,69
1570916VK1917S	2.603,86	2.527,52	-76,34
1570917VK1917S	2.460,30	2.477,17	16,87
1570918VK1917S	2.101,05	2.179,20	78,15
1570919VK1917S	1.398,82	1.414,58	15,76
1570920VK1917S	1.546,56	1.594,20	47,64
1570921VK1917S	1.504,89	1.508,17	3,28
1570922VK1917S	1.474,91	1.476,22	1,31
1570923VK1917S	1.504,23	1.521,07	16,84
1570924VK1917S	992,15	1.053,03	60,88
1570925VK1917S	1.736,90	1.651,38	-85,52
1570926VK1917S	924,22	922,57	-1,65
1570927VK1917S	999,47	984,66	-14,81
1570928VK1917S	1.398,08	1.394,14	-3,94
1570929VK1917S	2.225,05	2.221,80	-3,25
1570930VK1917S	1.008,46	993,24	-15,22
1570931VK1917S	843,86	830,22	-13,64
1570932VK1917S	1.731,81	1.743,59	11,78
1570933VK1917S	3.810,95	3.676,75	-134,20
1570934VK1917S	3.509,11	3.696,89	187,78
1570935VK1917S	1.507,04	1.510,55	3,51

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> )	DIFERENCIA (m <sup>2</sup> )
1570936VK1917S	2.088,72	2.161,32	72,60
1570937VK1917S	1.683,47	1.667,45	-16,02
1570938VK1917S	1.445,46	1.408,11	-37,35
1570939VK1917S	1.460,51	1.414,63	-45,88
1570940VK1917S	999,26	1.006,80	7,54
1570941VK1917S	998,90	1.011,74	12,84
1570942VK1916N	983,16	1.015,35	32,19
1570943VK1917S	993,69	996,30	2,61
1570944VK1917S	1.001,61	994,16	-7,45
1570945VK1917S	1.075,07	1.101,26	26,19
1570946VK1917S	1.690,03	1.737,24	47,20
1570948VK1917S	1.000,53	1.018,40	17,87
1570949VK1917S	2.176,87	2.325,85	148,98
1570950VK1917S	1.003,73	1.001,90	-1,84
15709951VK1917S	1.002,53	988,80	-13,73
1664601VK1916S	2.612,04	2.611,69	-0,35
1664602VK1916S	1.348,04	1.315,12	-32,92
1664603VK1916S	1.194,20	1.196,69	2,49
1664604VK1916S	1.103,34	1.113,00	9,66
1664605VK1916S	1.762,47	1.755,53	-6,94
1664606VK1916S	892,53	916,44	23,91
1664607VK1916S	734,01	729,28	-4,73
1664608VK1916S	1.655,39	1.650,17	-5,22
1664609VK1916S	1.567,26	1.590,68	23,42
1664610VK1916S	2.479,08	2.513,36	34,28
1664611VK1916S	1.481,24	1.468,71	-12,53
1664612VK1916S	2.457,38	2.497,72	40,34
1664613VK1916S	1.330,51	1.338,92	8,41
1668901VK1916N	4.373,28	4.425,28	52,00
1668902VK1916N	1.766,11	1.738,92	-27,19
1668903VK1916N	1.012,03	1.013,10	1,07
1668904VK1916N	1.181,06	1.222,27	41,21
1668905VK1916N	1.211,35	1.213,96	2,61
1668906VK1916N	1.010,95	947,84	-63,11
1668907VK1916N	1.060,00	1.070,40	10,40
1668908VK1916N	1.064,60	1.013,90	-50,70
1668909VK1916N	2.724,02	2.804,66	80,64
1668910VK1916N	971,87	954,74	-17,13
1668911VK1916N	1.555,26	1.558,47	3,20
1668912VK1916N	1.033,51	1.046,42	12,91
1669301VK1916N	3.147,59	3.170,68	23,09
1669302VK1916N	2.091,17	2.095,41	4,24
1669303VK1916N	1.416,91	1.499,40	82,49
1669304VK1916N	1.826,92	1.907,79	80,87

**PERI-III Montencinar  
COMPARACIÓN MEDIDAS  
Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> )	DIFERENCIA (m <sup>2</sup> )
1669305VK1916N	2.057,52	2.066,56	9,04
1669306VK1916N	992,89	994,57	1,68
1669307VK1916N	2.020,49	2.004,26	-16,23
1669308VK1916N	998,20	985,38	-12,82
1669309VK1916N	1.497,88	1.496,37	-1,51
1669310VK1916N	2.025,00	1.996,17	-28,83
1669311VK1916N	992,42	1.019,37	26,95
1681401VK1918S	939,50	997,46	57,96
1681402VK1918S	868,74	910,95	42,21
1681403VK1918S	1.627,88	1.755,88	128,00
1763501VK1916S	3.022,29	3.068,44	46,15
1763502VK1916S	1.558,24	1.537,47	-20,77
1763503VK1916S	1.454,68	1.488,83	34,15
1763507VK1916S	1.457,33	1.443,63	-13,70
1763801VK1916S	2.301,11	2.340,04	38,93
1763802VK1916S	2.246,33	2.305,52	59,19
1763803VK1916S	2.096,36	2.140,75	44,39
1763806VK1916S	1.454,46	1.456,25	1,79
1767002VK1916N	889,95	898,39	8,43
1767003VK1916N	4.386,52	4.388,60	2,08
1767004VK1916N	82,43	82,43	0,00
1767005VK1916N	1.987,46	2.007,87	20,41
1767006VK1916N	2.956,44	2.947,98	-8,46
1767007VK1916N	1.652,05	1.679,02	26,97
1767008VK1916N	1.613,69	1.625,79	12,10
1767009VK1916N	3.430,51	3.454,17	23,66
1767010VK1916N	3.109,59	3.148,25	38,66
1767011VK1916N	2.723,18	2.787,50	64,32
1767012VK1916N	1.806,62	1.798,17	-8,45
1767013VK1916N	2.953,50	2.938,22	-15,28
1767014VK1916N	3.059,80	3.047,07	-12,73
1770802VK1917S	1.375,74	1.384,10	8,36
1770803VK1917S	1.511,95	1.553,26	41,31
1770804VK1917S	2.659,51	2.663,07	3,56
1770805VK1917S	4.484,90	4.500,17	15,27
1770806VK1917S	1.501,71	1.515,67	13,96
1770807VK1917S	1.083,00	1.073,58	-9,42
1770808VK1917S	3.337,41	3.368,71	31,30
1770810VK1917S	1.491,45	1.524,47	33,02
1770811VK1917S	3.745,51	3.453,10	-292,41
1770830VK1917S	3.640,38	3.596,18	-44,20
1770831VK1917S	957,25	971,93	14,68
1779601VK1917N	2.772,18	2.914,96	142,78
1779602VK1917N	1.408,74	1.416,72	7,98

**PERI-III Montencinar  
COMPARACIÓN MEDIDAS  
Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> )	DIFERENCIA (m <sup>2</sup> )
1779603VK1917N	2.848,11	2.871,42	23,31
1779604VK1917N	1.447,51	1.453,07	5,56
1780302VK1918S	3.187,78	3.372,89	185,11
1780303VK1918S	1.658,31	1.637,94	-20,37
1780304VK1918S	1.963,82	2.002,59	38,77
1780305VK1918S	1.374,04	1.378,91	4,87
1780306VK1918S	1.309,86	1.302,01	-7,85
1780307VK1918S	2.462,42	2.505,25	42,83
1782703VK1918S	1.306,45	1.322,50	16,05
1782704VK1918S	1.521,50	1.472,90	-48,60
1782705VK1918S	952,16	943,05	-9,11
1782706VK1918S	895,85	875,45	-20,40
1782707VK1918S	983,02	974,94	-8,08
1782708VK1918S	1.126,34	1.164,10	37,76
1782709VK1918S	513,03	532,45	19,42
1782710VK1918S	931,03	933,31	2,28
1782711VK1918S	1.652,39	1.655,89	3,50
1863501VK1916S	979,73	962,08	-17,65
1863502VK1916S	1.241,20	1.299,08	57,88
1863503VK1916S	672,23	687,85	15,62
1863504VK1916S	718,35	736,03	17,68
1863505VK1916S	1.116,55	1.118,66	2,11
1863703VK1916S	2.370,00	2.428,23	58,23
1863704VK1916S	1.012,84	1.010,39	-2,45
1863705VK1916S	1.213,06	1.219,79	6,73
1863706VK1916S	528,48	531,18	2,70
1863707VK1916S	586,11	568,00	-18,11
1863708VK1916S	693,55	692,05	-1,50
1863709VK1916S	901,63	963,95	62,32
1864502VK1916S	954,09	926,48	-27,61
1864503VK1916S	104,11	108,67	4,56
1864504VK1916S	104,23	101,79	-2,44
1864505VK1916S	114,23	93,19	-21,04
1864506VK1916S	124,44	130,06	5,62
1864507VK1916S	100,34	126,83	26,49
1864508VK1916S	94,19	92,42	-1,77
1864509VK1916S	102,31	105,28	2,97
1864510VK1916S	211,63	224,64	13,01
1866101VK1916N	876,47	900,46	23,99
1866102VK1916N	987,85	985,55	-2,30
1866103VK1916N	1.021,68	1.013,83	-7,85
1866104VK1916N	1.026,00	1.019,31	-6,69
1866105VK1916N	2.772,96	2.785,41	12,45
1866106VK1916N	2.199,85	2.183,33	-16,52

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> )	DIFERENCIA (m <sup>2</sup> )
1866107VK1916N	1.545,36	1.579,02	33,66
1866108VK1916N	1.550,44	1.494,57	-55,87
1866109VK1916N	4.611,11	4.677,22	66,11
1866110VK1916N	1.175,47	1.202,31	26,84
1866111VK1916N	2.653,55	2.691,49	37,94
1866112VK1916N	1.025,56	1.005,19	-20,38
1866113VK1916N	1.005,57	980,53	-25,04
1866114VK1916N	975,15	1.005,62	30,47
1866115VK1916N	1.053,36	1.027,98	-25,38
1866116VK1916N	973,70	1.007,42	33,72
1866117VK1916N	1.016,05	1.004,39	-11,66
1866118VK1916N	992,19	995,07	2,88
1866119VK1916N	1.174,34	1.212,15	37,81
1869701VK1916N	1.477,84	1.517,90	40,06
1869702VK1916N	1.325,19	1.349,38	24,19
1869703VK1916N	1.165,48	1.167,13	1,65
1869704VK1916N	1.976,05	2.042,26	66,21
1869801VK1916N	1.204,58	1.210,76	6,18
1869802VK1916N	1.972,63	1.898,01	-74,62
1869803VK1916N	1.977,44	2.060,22	82,78
1869804VK1916N	1.160,89	1.158,63	-2,26
1869805VK1916N	1.104,65	1.100,08	-4,57
1869806VK1916N	3.308,47	3.323,77	15,30
1869807VK1916N	2.127,31	2.179,17	51,86
1869808VK1916N	1.231,06	1.225,15	-5,91
1869809VK1916N	1.160,27	1.158,91	-1,37
1878901VK1917N	1.277,46	1.277,46	0,00
1878902VK1917N	2.356,20	2.424,62	68,42
1878903VK1917N	2.474,22	2.478,21	3,99
1878904VK1917N	2.509,91	2.516,74	6,83
1878905VK1917N	1.179,86	1.231,41	51,55
1880901VK1918S	1.243,69	1.279,74	36,05
1880902VK1918S	1.948,77	1.981,72	32,95
1880903VK1918S	1.464,47	1.454,45	-10,02
1880904VK1918S	1.972,39	1.987,87	15,48
1880905VK1918S	2.124,44	2.134,26	9,82
1880906VK1918S	1.647,93	1.647,99	0,06
1880907VK1918S	1.059,33	1.043,04	-16,29
1880908VK1918S	952,30	1.022,68	70,38
1880909VK1918S	951,17	985,24	34,07
1880910VK1918S	2.151,23	2.128,11	-23,12
1881901VK1918S	973,99	1.002,33	28,34
1881902VK1918S	1.615,51	1.591,44	-24,07
1881903VK1918S	1.189,58	1.138,30	-51,28

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
1881904VK1918S	1.365,80	1.616,88	251,08
1881907VK1918S	3.576,88	3.693,92	117,04
1881908VK1918S	2.150,35	2.199,36	49,01
1881909VK1918S	2.393,64	2.330,00	-63,64
1881910VK1918S	1.528,61	1.676,62	148,01
1881911VK1918S	1.446,86	1.429,11	-17,75
1881912VK1918S	1.167,54	1.104,21	-63,33
1881913VK1918S	1.051,99	1.075,29	23,30
1881914VK1918S	1.027,85	1.040,02	12,17
1881915VK1918S	955,81	973,21	17,40
1881916VK1918S	1.341,52	1.303,18	-38,34
1881917VK1918S	2.839,60	2.785,42	-54,18
1966801VK1916N	1.521,17	1.509,48	-11,69
1966802VK1916N	1.996,45	2.014,01	17,56
1966803VK1916N	2.348,48	2.367,77	19,29
1966804VK1916N	2.432,63	2.442,97	10,34
1966805VK1916N	2.403,23	2.388,76	-14,47
1966806VK1916N	932,65	944,94	12,29
1966807VK1916N	2.470,38	2.474,18	3,80
1966808VK1916N	2.415,64	2.397,04	-18,60
1966809VK1916N	2.106,01	2.121,95	15,94
1966810VK1916N	1.461,82	1.414,34	-47,48
1966812VK1916N	1.370,10	1.409,41	39,31
1966813VK1916N	1.282,48	1.272,35	-10,13
1966814VK1916N	928,11	881,04	-47,07
1968401VK1916N	2.048,83	2.122,64	73,81
1968402VK1916N	1.904,29	1.972,41	68,12
1968403VK1916N	1.194,73	1.183,84	-10,89
1968404VK1916N	1.411,26	1.425,40	14,14
1968405VK1916N	2.568,64	2.559,95	-8,69
1968406VK1916N	3.458,48	3.508,29	49,81
1968407VK1916N	2.427,16	2.442,53	15,37
1968408VK1916N	2.689,37	2.657,14	-32,23
1968409VK1916N	2.033,57	2.069,24	35,67
1968410VK1916N	3.246,39	3.269,32	22,93
1968411VK1916N	2.679,19	2.694,82	15,63
1970301VK1917S	994,50	997,69	3,19
1970302VK1917S	948,70	992,06	43,36
1970303VK1917S	1.102,16	1.040,45	-61,71
1970304VK1917S	1.036,42	1.015,64	-20,78
1970305VK1917S	3.475,95	3.514,57	38,62
1970306VK1917S	1.464,56	1.491,32	26,76
1970501VK1917S	1.214,81	1.238,18	23,37
1970503VK1917S	2.169,98	2.189,95	19,97

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
1970504VK1917S	750,01	775,15	25,14
1970505VK1917S	641,53	640,89	-0,64
1970506VK1917S	854,30	908,54	54,24
1970507VK1917S	884,13	881,62	-2,51
1970508VK1917S	663,75	633,90	-29,85
1970509VK1917S	2.475,22	2.501,08	25,86
1970510VK1917S	644,32	667,53	23,21
1970511VK1917S	566,71	556,65	-10,07
1970512VK1917S	683,71	693,35	9,64
1970513VK1917S	813,53	796,91	-16,62
1970514VK1917S	1.011,59	1.058,58	46,99
1970515VK1917S	2.101,92	2.105,93	4,01
1970516VK1917S	1.058,26	1.110,25	51,99
1970517VK1917S	1.287,02	1.287,03	0,01
1970518VK1917S	899,94	892,44	-7,50
1972901VK1917S	1.198,44	1.204,62	6,17
1972902VK1917S	1.001,27	923,18	-78,09
1972903VK1917S	1.271,00	1.267,77	-3,23
1972904VK1917S	1.157,35	1.190,61	33,26
1972905VK1917S	863,82	883,70	19,88
1972906VK1917S	895,03	905,23	10,20
1972907VK1917S	1.967,88	1.959,35	-8,53
1972908VK1917S	1.114,52	1.092,97	-21,55
1972909VK1917S	1.019,34	1.107,07	87,73
1977801VK1917N	2.755,03	2.767,46	12,43
1977802VK1917N	1.101,73	1.106,62	4,89
1977803VK1917N	968,05	1.011,06	43,01
1977804VK1917N	1.421,13	1.386,84	-34,29
1979101VK1917N	1.888,16	1.962,82	74,66
1979102VK1917N	1.930,43	1.972,85	42,42
1979103VK1917N	616,07	629,18	13,11
1979104VK1917N	2.412,51	2.472,65	60,14
1979105VK1917N	820,46	824,01	3,55
1979106VK1917N	1.969,75	1.987,27	17,52
1979107VK1917N	1.406,06	1.439,77	33,71
1979108VK1917N	1.000,99	1.006,93	5,94
1979109VK1917N	1.012,60	1.030,79	18,19
2068701VK1926N	860,08	866,03	5,95
2068702VK1926N	2.565,44	2.653,51	88,07
2068703VK1926N	4.117,13	4.022,58	-94,55
2068704VK1926N	1.741,22	1.698,51	-42,71
2068705VK1926N	9.195,88	9.227,38	31,50
2068707VK1926N	1.936,04	1.925,54	-10,50
2068709VK1926N	1.043,11	1.032,30	-10,81

**PERI-III Montencinar  
COMPARACIÓN MEDIDAS  
Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2068710VK1926N	711,48	708,69	-2,79
2068711VK1926N	1.063,83	1.063,25	-0,58
2071801VK1927S	2.359,81	2.277,40	-82,41
2071802VK1927S	917,09	871,70	-45,39
2071803VK1927S	1.372,79	1.408,77	35,98
2071804VK1927S	1.533,67	1.579,97	46,30
2071805VK1927S	1.508,17	1.579,15	70,98
2071806VK1927S	1.261,03	1.216,64	-44,39
2071807VK1927S	1.085,07	1.098,36	13,29
2071808VK1927S	1.052,22	1.101,23	49,01
2071809VK1927S	1.111,29	1.105,97	-5,32
2073801VK1927S	1.583,32	1.544,74	-38,58
2073802VK1927S	2.004,00	1.953,27	-50,73
2073803VK1927S	1.790,00	1.828,46	38,46
2073804VK1927S	1.608,03	1.592,37	-15,66
2073805VK1927S	1.440,30	1.527,88	87,58
2073806VK1927S	1.825,30	1.829,78	4,48
2073807VK1927S	818,00	778,97	-39,03
2073808VK1927S	1.758,01	1.782,48	24,47
2074001VK1927S	3.331,98	3.349,31	17,33
2074002VK1927S	1.817,55	1.804,06	-13,49
2074003VK1927S	2.264,41	2.252,32	-12,09
2074004VK1927S	3.383,29	3.345,32	-37,97
2074005VK1927S	2.308,34	2.308,89	0,55
2074006VK1927S	2.274,82	2.248,25	-26,58
2074007VK1927S	2.551,99	2.560,76	8,77
2074008VK1927S	1.294,36	1.273,89	-20,47
2074009VK1927S	1.087,25	1.142,59	55,34
2076101VK1927N	1.231,56	1.217,67	-13,89
2076102VK1927N	10.345,32	10.328,38	-16,94
2076103VK1927N	1.118,31	1.142,07	23,76
2077801VK1927N	1.536,92	1.559,57	22,65
2077802VK1927N	1.198,10	1.215,10	17,00
2077803VK1927N	1.109,26	1.131,63	22,37
2077804VK1927N	1.606,41	1.661,49	55,08
2077805VK1927N	1.391,36	1.366,77	-24,59
2077806VK1927N	2.397,03	2.390,05	-6,98
2077807VK1927N	3.271,44	3.275,31	3,87
2077808VK1927N	1.071,92	1.048,88	-23,04
2077809VK1927N	843,15	865,79	22,64
2077810VK1927N	2.813,94	2.836,70	22,76
2077811VK1927N	1.666,81	1.596,49	-70,32
2077812VK1927N	1.491,31	1.575,04	83,73
2077813VK1927N	857,42	858,14	0,72



**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2078201VK1927N	1.217,46	1.232,28	14,82
2078202VK1927N	907,42	990,07	82,65
2078203VK1927N	1.273,10	1.267,46	-5,64
2078204VK1927N	2.020,31	2.020,08	-0,23
2078205VK1927N	1.023,62	1.046,60	22,98
2078206VK1927N	1.133,67	1.145,28	11,61
2078207VK1927N	912,49	902,73	-9,76
2078208VK1927N	1.477,73	1.470,17	-7,56
2078209VK1927N	1.234,31	1.277,35	43,04
2078210VK1927N	1.180,53	1.151,63	-28,90
2078211VK1927N	2.183,56	2.213,38	29,82
2078212VK1927N	984,33	995,72	11,39
2078213VK1927N	1.097,13	1.088,99	-8,14
2080201VK1928S	1.120,32	1.111,00	-9,32
2080202VK1928S	1.109,62	1.116,39	6,77
2080203VK1928S	2.326,45	2.357,48	31,03
2080206VK1928S	975,56	1.008,29	32,73
2080207VK1928S	1.922,21	1.937,78	15,57
2080208VK1928S	1.163,23	1.106,17	-57,06
2080209VK1928S	1.044,10	1.064,72	20,62
2080210VK1928S	1.025,87	987,63	-38,24
2081401VK1928S	844,36	845,78	1,41
2081402VK1928S	792,35	795,74	3,39
2081403VK1928S	8.038,23	8.741,32	703,09
2081404VK1928S	1.523,69	1.523,09	-0,60
2081405VK1928S	680,75	744,40	63,65
2081406VK1928S	717,61	717,05	-0,56
2081407VK1928S	1.420,66	1.412,28	-8,38
2169601VK1926N	4.204,67	4.173,17	-31,51
2170201VK1927S	6.438,29	6.618,08	179,79
2170202VK1927S	799,69	847,11	47,42
2170203VK1927S	746,08	762,45	16,37
2170204VK1927S	784,73	791,33	6,60
2170205VK1927S	964,14	1.001,69	37,55
2170206VK1927S	840,00	781,74	-58,26
2170207VK1927S	1.261,57	1.322,84	61,27
2170208VK1927S	2.856,71	2.875,30	18,59
2170209VK1927S	1.095,89	1.123,22	27,33
2170210VK1927S	1.576,46	1.590,09	13,63
2170211VK1927S	814,18	807,66	-6,52
2172101VK1927S	2.707,00	2.683,93	-23,07
2172102VK1927S	2.533,98	2.544,50	10,52
2173901VK1927S	680,00	685,92	5,92
2173902VK1927S	2.076,65	2.107,64	30,99

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2173903VK1927S	835,55	814,54	-21,01
2173904VK1927S	790,96	805,72	14,76
2173905VK1927S	1.047,70	1.020,82	-26,88
2173906VK1927S	801,59	845,96	44,37
2173907VK1927S	786,12	786,69	0,57
2173908VK1927S	784,75	778,48	-6,27
2173909VK1927S	680,69	708,48	27,79
2173911VK1927S	1.910,76	1.915,93	5,17
2173912VK1927S	1.218,46	1.206,31	-12,15
2173913VK1927S	893,55	919,00	25,45
2173914VK1927S	913,22	909,61	-3,61
2173915VK1927S	987,35	986,56	-0,79
2173916VK1927S	1.330,39	1.342,92	12,53
2173917VK1927S	657,74	663,06	5,32
2177401VK1927N	2.352,29	2.375,68	23,39
2177402VK1927N	1.542,20	1.573,42	31,22
2177403VK1927N	1.701,05	1.733,41	32,36
2177404VK1927N	1.219,99	1.251,42	31,43
2177405VK1927N	1.281,17	1.293,31	12,14
2177406VK1927N	1.088,64	1.072,79	-15,85
2179201VK1927N	1.221,97	1.269,23	47,25
2179202VK1927N	1.264,72	1.285,20	20,48
2179203VK1927N	1.213,14	1.195,02	-18,12
2179204VK1927N	999,41	1.023,74	24,33
2179205VK1927N	2.535,49	2.528,96	-6,53
2179206VK1927N	1.271,27	1.275,99	4,72
2179207VK1927N	999,59	1.015,44	15,85
2179208VK1927N	1.032,55	1.011,44	-21,11
2179209VK1927N	1.718,02	1.761,97	43,95
2179210VK1927N	1.430,33	1.449,11	18,78
2179211VK1927N	988,43	978,95	-9,48
2179212VK1927N	984,25	1.015,47	31,22
2179213VK1927N	2.489,65	2.525,81	36,16
2179214VK1927N	999,04	1.005,19	6,15
2179215VK1927N	1.221,38	1.202,12	-19,26
2179216VK1927N	1.254,33	1.281,51	27,18
2179217VK1927N	1.248,89	1.298,23	49,34
2179218VK1927N	1.257,13	1.260,85	3,71
2181101VK1928S	1.322,14	1.293,62	-28,52
2181102VK1928S	2.106,90	2.084,48	-22,42
2181103VK1928S	1.957,86	1.975,27	17,41
2181104VK1928S	1.476,00	1.476,57	0,57
2182401VK1928S	2.441,64	2.274,66	-166,98
2182402VK1928S	891,58	1.060,25	168,67

PERI-III Montencinar  
COMPARACIÓN MEDIDAS  
Catastro VS Levantamiento Topográfico

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2182403VK1928S	1.423,32	1.377,81	-45,51
2182404VK1928S	928,85	997,58	68,73
2182405VK1928S	1.005,62	1.031,57	25,95
2182406VK1928S	1.004,79	953,04	-51,75
2182407VK1928S	668,82	685,88	17,06
2182408VK1928S	1.139,14	1.192,91	53,77
2182409VK1928S	1.029,81	1.010,39	-19,42
2182410VK1928S	1.011,68	1.011,39	-0,29
2182411VK1928S	1.005,92	1.028,90	22,98
2182412VK1928S	982,20	1.008,04	25,84
2182413VK1928S	648,18	617,11	-31,07
2182414VK1928S	939,66	969,98	30,32
2182415VK1928S	915,40	872,94	-42,46
2182416VK1928S	958,35	962,97	4,62
2182417VK1928S	1.129,20	1.112,23	-16,97
2182418VK1928S	1.579,81	1.674,17	94,36
2270901VK1927S	1.025,21	1.015,49	-9,72
2270902VK1927S	1.036,93	1.012,51	-24,42
2270903VK1927S	1.004,73	1.050,27	45,54
2270904VK1927S	2.568,72	2.628,78	60,06
2270905VK1927S	2.191,03	2.219,08	28,05
2270906VK1927S	2.150,89	2.197,70	46,81
2271801VK1927S	1.098,68	1.131,07	32,39
2271802VK1927S	1.455,87	1.490,49	34,62
2271803VK1927S	1.009,79	958,50	-51,29
2271804VK1927S	963,74	982,15	18,41
2271805VK1927S	991,88	991,38	-0,50
2271806VK1927S	954,35	964,14	9,79
2271807VK1927S	451,80	491,92	40,12
2271808VK1927S	1.901,06	1.812,27	-88,79
2271809VK1927S	878,52	1.007,68	129,16
2271810VK1927S	875,46	863,45	-12,01
2271811VK1927S	718,04	743,57	25,53
2271812VK1927S	1.019,27	1.002,21	-17,06
2271813VK1927S	995,31	1.002,35	7,04
2272301VK1927S	860,37	891,24	30,87
2272302VK1927S	519,07	508,52	-10,56
2272303VK1927S	668,34	657,62	-10,72
2272304VK1927S	1.461,90	1.474,86	12,96
2272801VK1927S	1.167,10	1.165,90	-1,20
2272802VK1927S	3.707,34	3.775,04	67,70
2272803VK1927S	1.631,44	1.687,72	56,28
2272804VK1927S	1.167,63	1.183,43	15,80
2272805VK1927S	1.462,52	1.488,17	25,65

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2272806VK1927S	2.287,89	2.304,12	16,23
2272807VK1927S	804,30	803,98	-0,32
2274801VK1927S	1.122,18	1.129,84	7,66
2274802VK1927S	393,94	391,82	-2,13
2274803VK1927S	779,79	800,92	21,13
2274804VK1927S	995,49	1.007,84	12,35
2274805VK1927S	1.428,72	1.452,38	23,66
2274806VK1927S	1.771,97	1.761,99	-9,98
2274807VK1927S	805,66	810,64	4,98
2274808VK1927S	1.026,07	1.025,88	-0,19
2274809VK1927S	799,53	807,22	7,69
2274810VK1927S	771,26	798,79	27,53
2274811VK1927S	398,80	393,07	-5,73
2274812VK1927S	1.169,04	1.213,36	44,32
2275101VK1927N	2.052,23	2.069,66	17,43
2275102VK1927N	4.978,31	4.988,48	10,17
2275103VK1927N	1.169,26	1.168,58	-0,68
2275104VK1927N	947,81	967,26	19,45
2275105VK1927N	996,06	997,48	1,42
2275106VK1927N	5.381,48	5.508,11	126,63
2275107VK1927N	970,46	985,90	15,44
2275108VK1927N	977,76	982,88	5,12
2275109VK1927N	1.409,32	1.434,27	24,95
2275110VK1927N	802,11	831,59	29,48
2275111VK1927N	803,86	810,37	6,51
2275112VK1927N	921,57	934,20	12,63
2275113VK1927N	859,02	880,24	21,22
2275114VK1927N	1.041,56	1.042,84	1,28
2276101VK1927N	2.320,81	2.336,47	15,66
2276102VK1927N	2.297,67	2.278,62	-19,05
2276103VK1927N	5.201,74	5.241,16	39,42
2276104VK1927N	1.735,95	1.741,57	5,62
2276105VK1927N	910,18	910,56	0,38
2276106VK1927N	904,09	908,28	4,19
2276107VK1927N	2.051,67	2.058,32	6,65
2276108VK1927N	712,21	729,56	17,35
2276109VK1927N	1.442,40	1.457,31	14,91
2280101VK1928S	1.738,02	1.673,16	-64,86
2280102VK1928S	1.584,46	1.591,31	6,85
2280103VK1928S	940,55	955,73	15,18
2280104VK1928S	978,96	991,06	12,10
2280105VK1928S	1.001,05	998,20	-2,85
2280106VK1928S	1.803,15	1.866,01	62,86
2280107VK1928S	1.232,77	1.222,67	-10,10

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2280108VK1928S	2.632,89	2.687,33	54,44
2280109VK1928S	827,77	855,42	27,65
2281201VK1928S	1.795,12	1.814,55	19,43
2281202VK1928S	1.219,24	1.227,20	7,96
2281203VK1928S	869,27	832,36	-36,91
2281204VK1928S	788,99	849,89	60,90
2281205VK1928S	983,03	968,01	-15,02
2281206VK1928S	987,10	1.016,20	29,10
2281207VK1928S	1.200,59	1.219,24	18,65
2281208VK1928S	1.074,48	1.100,18	25,70
2281209VK1928S	1.100,83	1.119,82	18,99
2281210VK1928S	1.005,28	982,27	-23,01
2281211VK1928S	1.210,22	1.234,12	23,90
2281212VK1928S	1.939,76	1.959,74	19,98
2281213VK1928S	1.312,71	1.345,85	33,14
2281214VK1928S	1.372,02	1.339,78	-32,24
2281215VK1928S	1.054,70	1.032,74	-21,97
2282701VK1928S	921,70	937,01	15,31
2282702VK1928S	1.550,13	1.538,74	-11,39
2282703VK1928S	1.024,89	1.018,34	-6,55
2282704VK1928S	1.183,63	1.180,34	-3,29
2282705VK1928S	596,45	598,31	1,86
2282706VK1928S	1.357,91	1.360,98	3,07
2282707VK1928S	1.062,77	1.074,55	11,78
2282708VK1928S	1.055,64	1.070,39	14,74
2282709VK1928S	1.189,40	1.188,17	-1,23
2282710VK1928S	327,80	317,57	-10,23
2282711VK1928S	1.041,91	1.069,02	27,11
2282712VK1928S	1.500,99	1.521,99	21,00
2282713VK1928S	668,30	680,47	12,17
2282714VK1928S	725,45	723,41	-2,04
2282715VK1928S	735,64	726,38	-9,26
2282716VK1928S	867,72	888,39	20,67
2282717VK1928S	676,79	697,02	20,23
2282718VK1928S	676,80	653,88	-22,92
2282719VK1928S	678,80	667,59	-11,21
2282720VK1928S	818,52	855,53	37,01
2282721VK1928S	652,90	666,44	13,54
2282722VK1928S	1.095,50	1.087,74	-7,76
2373201VK1927S	1.078,76	1.063,49	-15,27
2373202VK1927S	1.054,80	1.082,32	27,52
2373203VK1927S	793,25	791,45	-1,80
2373204VK1927S	784,34	805,09	20,75
2373205VK1927S	794,46	807,97	13,51

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2373206VK1927S	844,28	924,20	79,92
2373207VK1927S	853,78	819,71	-34,07
2373208VK1927S	847,51	763,03	-84,48
2373209VK1927S	1.159,72	1.166,74	7,02
2373210VK1927S	1.107,80	1.123,62	15,82
2373211VK1927S	969,70	1.000,88	31,18
2373212VK1927S	819,03	801,56	-17,47
2373213VK1927S	842,87	780,64	-62,23
2373214VK1927S	766,53	819,19	52,66
2373215VK1927S	808,63	799,59	-9,04
2373216VK1927S	789,05	799,81	10,76
2373217VK1927S	712,96	730,40	17,44
2373218VK1927S	801,38	854,52	53,14
2373219VK1927S	875,46	828,93	-46,53
2373220VK1927S	935,71	965,88	30,17
2373221VK1927S	969,53	1.002,68	33,15
2376301VK1927N	1.082,87	957,15	-125,73
2376302VK1927N	1.687,82	1.653,87	-33,95
2376303VK1927N	1.324,98	1.340,28	15,30
2376304VK1927N	1.327,33	1.321,72	-5,62
2376305VK1927N	1.301,83	1.336,82	34,99
2376306VK1927N	1.277,99	1.288,50	10,51
2376307VK1927N	1.079,32	1.079,01	-0,31
2376308VK1927N	968,69	1.004,51	35,82
2376309VK1927N	3.749,47	3.657,23	-92,24
2376310VK1927N	5.109,56	5.333,94	224,38
2376311VK1927N	962,11	973,66	11,55
2376312VK1927N	1.212,97	1.309,50	96,52
2376313VK1927N	1.546,17	1.467,06	-79,11
2376314VK1927N	1.786,58	1.792,72	6,14
2376315VK1927N	836,49	919,92	83,43
2376316VK1927N	934,44	941,68	7,24
2376317VK1927N	759,73	739,47	-20,26
2376318VK1927N	863,47	764,98	-98,49
2377901VK1927N	996,88	991,27	-5,62
2377902VK1927N	969,23	993,39	24,16
2377903VK1927N	1.461,35	1.500,96	39,61
2377904VK1927N	944,92	909,47	-35,45
2377905VK1927N	965,62	951,06	-14,57
2377906VK1927N	1.742,93	1.838,13	95,20
2377907VK1927N	2.073,67	2.033,65	-40,02
2377908VK1927N	1.016,62	971,47	-45,15
2377909VK1927N	811,02	847,61	36,59
2377910VK1927N	765,14	790,38	25,24

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2377911VK1927N	851,21	880,41	29,19
2377912VK1927N	1.886,56	1.859,27	-27,29
2377913VK1927N	831,90	850,45	18,55
2377914VK1927N	1.049,01	1.057,84	8,83
2377915VK1927N	1.004,18	998,81	-5,37
2377916VK1927N	979,57	996,50	16,93
2377917VK1927N	1.043,98	1.017,76	-26,22
2377918VK1927N	1.123,22	1.138,29	15,07
2379101VK1927N	1.567,57	1.583,25	15,68
2379102VK1927N	972,34	1.004,27	31,93
2379103VK1927N	998,05	988,86	-9,19
2379104VK1927N	964,84	980,16	15,32
2379105VK1927N	806,55	803,01	-3,54
2379106VK1927N	598,27	607,83	9,56
2379107VK1927N	625,00	608,19	-16,81
2379108VK1927N	611,68	591,09	-20,59
2379109VK1927N	1.132,42	1.125,96	-6,46
2379110VK1927N	606,95	625,69	18,74
2379111VK1927N	991,29	1.005,59	14,30
2379114VK1927N	963,96	976,88	12,92
2379115VK1927N	1.534,06	1.552,93	18,87
2379601VK1927N	1.007,31	1.004,40	-2,91
2379602VK1927N	950,10	994,77	44,67
2379603VK1927N	691,47	673,93	-17,54
2379604VK1927N	941,63	975,64	34,01
2379605VK1927N	936,37	930,69	-5,68
2379606VK1927N	1.187,66	1.212,11	24,45
2379607VK1927N	1.136,63	1.148,42	11,79
2379608VK1927N	1.334,64	1.341,81	7,17
2379609VK1927N	969,82	972,43	2,61
2379610VK1927N	797,93	809,11	11,18
2379611VK1927N	1.478,03	1.493,75	15,72
2379612VK1927N	999,25	1.012,39	13,14
2380201VK1928S	2.029,36	2.100,28	70,92
2380202VK1928S	966,14	975,04	8,90
2380203VK1928S	612,92	602,20	-10,72
2380204VK1928S	1.034,80	1.038,94	4,14
2380205VK1928S	973,64	985,63	11,99
2380206VK1928S	577,65	587,98	10,33
2382501VK1928S	1.347,66	1.430,00	82,34
2382502VK1928S	1.432,20	1.413,74	-18,47
2382503VK1928S	658,57	657,66	-0,91
2382504VK1928S	640,45	672,33	31,88
2382505VK1928S	683,03	684,36	1,33

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2382506VK1928S	2.840,95	2.883,95	43,00
2472201VK1927S	1.650,75	1.670,34	19,59
2472202VK1927S	781,55	796,86	15,31
2472203VK1927S	743,41	743,73	0,32
2472204VK1927S	1.002,50	1.011,68	9,18
2472205VK1927S	984,23	997,17	12,94
2472206VK1927S	1.034,63	1.049,79	15,16
2472207VK1927S	1.452,79	1.464,57	11,78
2472208VK1927S	1.293,75	1.310,21	16,46
2472209VK1927S	1.022,67	1.004,14	-18,53
2472210VK1927S	1.016,16	1.023,04	6,88
2472211VK1927S	743,42	741,50	-1,92
2473901VK1927S	1.191,83	1.222,43	30,60
2473902VK1927S	1.191,65	1.221,11	29,46
2473903VK1927S	1.020,83	1.025,52	4,69
2473904VK1927S	2.039,75	2.038,58	-1,17
2473905VK1927S	1.644,42	1.618,43	-25,99
2473906VK1927S	783,78	773,18	-10,61
2473907VK1927S	594,47	611,07	16,60
2473908VK1927S	1.556,57	1.629,33	72,76
2473909VK1927S	1.200,20	1.204,36	4,15
2473910VK1927S	790,03	827,06	37,03
2473911VK1927S	972,37	994,46	22,09
2473912VK1927S	804,76	788,80	-15,96
2473913VK1927S	790,48	807,86	17,38
2474701VK1927S	1.261,88	1.238,04	-23,84
2474702VK1927S	1.286,69	1.258,64	-28,05
2474703VK1927S	1.590,32	1.589,53	-0,79
2474705VK1927S	974,35	987,30	12,95
2474706VK1927S	827,50	859,33	31,83
2474707VK1927S	657,84	647,70	-10,15
2474708VK1927S	821,73	806,51	-15,23
2474709VK1927S	1.499,84	1.513,39	13,55
2474710VK1927S	1.012,21	968,08	-44,13
2474711VK1927S	960,14	996,05	35,91
2474712VK1927S	801,60	784,87	-16,73
2474713VK1927S	804,69	824,56	19,87
2474714VK1927S	771,79	800,74	28,95
2475901VK1927N	2.088,59	2.134,22	45,63
2475902VK1927N	1.925,93	1.993,93	68,00
2475903VK1927N	1.496,67	1.494,44	-2,23
2475904VK1927N	1.479,31	1.502,04	22,73
2475906VK1927N	1.762,47	1.803,55	41,08
2475907VK1927N	26,24	24,85	-1,39



**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2475908VK1927N	1.756,14	1.828,97	72,82
2475909VK1927N	1.033,87	1.050,69	16,82
2475910VK1927N	966,14	924,57	-41,57
2475911VK1927N	1.128,72	1.137,30	8,58
2475912VK1927N	750,00	744,87	-5,13
2475913VK1927N	1.178,61	1.180,66	2,05
2475914VK1927N	991,19	998,20	7,01
2478201VK1927N	1.588,48	1.597,21	8,73
2478202VK1927N	607,60	615,03	7,43
2478203VK1927N	1.945,25	1.952,44	7,19
2480801VK1928S	1.979,42	2.024,88	45,46
2480802VK1928S	1.213,69	1.203,59	-10,11
2480803VK1928S	1.655,41	1.655,45	0,04
2480804VK1928S	713,40	709,69	-3,71
2480805VK1928S	1.267,38	1.296,56	29,18
2480806VK1928S	1.356,75	1.375,38	18,63
2480807VK1928S	792,62	793,02	0,40
2480808VK1928S	588,98	612,88	23,90
2480809VK1928S	594,98	593,10	-1,88
2481101VK1928S	1.435,22	1.277,84	-157,38
2481102VK1928S	2.247,55	2.321,39	73,84
2481103VK1928S	1.178,86	1.189,42	10,56
2481105VK1928S	978,71	999,13	20,42
2481106VK1928S	2.176,57	2.348,67	172,10
2481501VK1928S	1.149,37	1.163,36	13,99
2481502VK1928S	1.711,42	1.735,33	23,91
2481503VK1928S	2.767,45	2.801,48	34,03
2481504VK1928S	1.168,92	1.192,89	23,97
2481505VK1928S	1.199,47	1.216,37	16,90
2481506VK1928S	1.313,00	1.290,34	-22,67
2481507VK1928S	565,52	588,60	23,08
2481508VK1928S	1.182,72	1.165,95	-16,77
2575801VK1927N	871,33	888,05	16,72
2575802VK1927N	1.004,95	997,66	-7,29
2575803VK1927N	1.473,68	1.471,54	-2,14
2575804VK1927N	1.493,61	1.482,69	-10,92
2575805VK1927N	1.102,64	1.102,07	-0,57
2575806VK1927N	1.236,96	1.255,45	18,49
2575807VK1927N	939,53	941,95	2,42
2575808VK1927N	1.077,72	1.102,41	24,69
2575809VK1927N	1.433,71	1.399,72	-33,99
2575810VK1927N	791,71	799,84	8,13
2575811VK1927N	1.022,02	1.025,41	3,39
2575812VK1927N	852,86	859,47	6,61

**PERI-III Montencinar**  
**COMPARACIÓN MEDIDAS**  
**Catastro VS Levantamiento Topográfico**

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> .)	DIFERENCIA (m <sup>2</sup> )
2580301VK1928S	1.535,72	1.542,17	6,45
2580302VK1928S	1.443,35	1.454,15	10,80
2580303VK1928S	2.448,98	2.463,37	14,38
2580304VK1928S	1.690,05	1.657,37	-32,68
2580305VK1928S	1.259,64	1.251,23	-8,41
2580701VK1928S	1.634,52	1.616,85	-17,67
2580702VK1928S	659,65	646,41	-13,24
2580703VK1928S	587,81	589,11	1,30
2580704VK1928S	672,42	657,01	-15,41
2580705VK1928S	1.314,54	1.329,87	15,33
2580706VK1928S	1.009,34	975,25	-34,09
2580707VK1928S	1.133,49	1.170,94	37,45
2580708VK1928S	754,52	759,53	5,01
2580709VK1928S	1.815,35	1.835,21	19,86
2582801VK1928S	1.504,78	1.487,03	-17,75
2582802VK1928S	768,74	789,30	20,55
2582803VK1928S	1.150,83	1.180,19	29,36
2582804VK1928S	1.072,46	1.114,60	42,14
2582805VK1928S	1.173,93	1.178,95	5,02
2582806VK1928S	600,00	603,53	3,53
2584801VK1928S	778,73	805,63	26,90
2584802VK1928S	1.086,96	1.137,49	50,52
2584803VK1928S	1.168,48	1.155,29	-13,19
2584804VK1928S	763,24	747,51	-15,73
2584805VK1928S	905,04	897,19	-7,86
2584806VK1928S	1.312,18	1.292,08	-20,10
2584807VK1928S	883,18	921,51	38,33
2584808VK1928S	4.097,35	4.119,53	22,17
2584809VK1928S	3.629,29	3.690,88	61,59
2584810VK1928S	1.165,58	1.218,29	52,71
2584811VK1928S	1.168,55	1.178,18	9,63
2584812VK1928S	2.703,72	2.777,51	73,79
2584813VK1928S	2.354,12	2.349,04	-5,08
2584814VK1928S	1.428,80	1.436,06	7,26
2584815VK1928S	1.177,46	1.188,16	10,70
2584816VK1928S	1.683,95	1.721,82	37,87
2584817VK1928S	992,08	1.010,36	18,28
2584818VK1928S	1.325,05	1.267,79	-57,26
2584819VK1928S	961,13	998,16	37,03
2584820VK1928S	877,00	913,87	36,87
2681301VK1928S	1.094,46	1.085,12	-9,34
2681302VK1928S	1.032,13	1.025,09	-7,04
2681303VK1928S	732,69	737,60	4,91
2681304VK1928S	1.098,94	1.095,40	-3,54

PERI-III Montencinar  
COMPARACIÓN MEDIDAS  
Catastro VS Levantamiento Topográfico

REF. CATASTRAL	SUP. Catastro (m <sup>2</sup> )	SUP. Lev. Top (m <sup>2</sup> )	DIFERENCIA (m <sup>2</sup> )
2681305VK1928S	1.203,68	1.236,53	32,85
2681306VK1928S	924,18	893,95	-30,23
2681307VK1928S	537,42	543,47	6,05
2681308VK1928S	588,16	549,63	-38,53
2681309VK1928S	572,28	613,48	41,20
2681310VK1928S	1.605,89	1.627,95	22,06
2681311VK1928S	1.270,86	1.269,27	-1,59
2681312VK1928S	987,46	979,32	-8,14
2681601VK1928S	1.269,66	1.254,68	-14,98
2681602VK1928S	952,80	1.002,32	49,52
2681603VK1928S	1.258,83	1.239,83	-19,00
803 fincas	1.170.792,70	1.179.928,35	9.135,65